

78TH IIRB CONGRESS, 21-23/6/2022, MONS

POSTER PROGRAMME



1 Agronomy

Tillage

- | | | |
|-----|---|---|
| 1.1 | S. Muurinen, S. Malmilehto, J. Jussila, M. Palomäki | Hoeing trials in Finland 2020-2021 |
| 1.2 | J. Keleman, J. Dillen, A. Wauters | Long-term impact of different tillage methods on sugar beet |

Sugar beet stand

- | | | |
|-----|---|---|
| 1.3 | R. Andersson, O. Nielsen | Variable seed rates in sugar beets |
| 1.4 | J. Arnhold, F. Ispizua, D. Grunwald, H.-J. Koch | Leaf area index or ground cover: which parameter correlates better with sugar yield affected by row distance? |

The crop in the rotation

- | | | |
|-----|---|---|
| 1.5 | S. Muurinen, R. Kaipainen, S. Malmilehto, M. Palomäki | Sugar beet crop rotation development in Finland related to carbon actions |
| 1.6 | C. Roß, J. Thies, N. Stockfisch | Diversity of crop rotations with sugar beet |
| 1.7 | H.-J. Koch, D. Grunwald, L. Essich, R. Ruser | How much fertiliser nitrogen can we save through cover crop cultivation? |

Nutrient supply

- | | | |
|------|--|---|
| 1.8 | D. Horn, G. Müller | Sustainability of sugar beet cultivation: Humus in soils and humus balance in crop rotations of sugar beet farmers |
| 1.9 | M. Benazzi, G. Campagna | Survey on soil fertility in Po Valley in the last 4 years |
| 1.10 | G. Bodner <i>et al.</i> | Indicators from EUF extracts to monitor soil organic matter |
| 1.11 | R. Kaipainen, S. Malmilehto, S. Muurinen | The potential of structural liming in Northern sugar beet production |
| 1.12 | A. Olsson Nyström, L. Persson | Long term effects of structure lime on sugar beet growth and yield |
| 1.13 | A. Guiboileau <i>et al.</i> | Improving crop establishment by acting on Nitrogen Use Efficiency with the use of GoActiv® based biostimulant in combination with amino-acids |
| 1.14 | A. van Valen | Effects of sodium application in sugar beet on sandy soils in the Netherlands |

Sugar beet cultivation under arid conditions

- | | | |
|------|---------------------------------------|--|
| 1.15 | G. Barrat | Testing for drought tolerance in sugar beet varieties |
| 1.16 | H. Ebmeyer, C. Hoffmann | Drought stress: growth, water consumption and water use efficiency of sugar beet genotypes |
| 1.17 | M. Aylaj | Salinity tolerance and interaction between potassium and sodium in salt stress conditions in two sugar beet genotypes (<i>Beta vulgaris</i> L.) differing in their resistance |
| 1.18 | G. Campagna <i>et al.</i> | Studies of varieties with a reduced degree of induction to early flowering for autumn sowing in the beet growing area of COPROB (Italy) |
| 1.19 | M. Aghaei, M. Honarvar, M. Bazrafshan | Autumn sugar beet production in Iran, challenges and opportunities |

Precision agriculture

- | | | |
|------|-------------------------|--|
| 1.20 | C. Hügel, B. de Wulf | Artificial intelligence in sugar beet: two examples from research to cultivation |
| 1.21 | J. Molvot <i>et al.</i> | Construction of a model to predict the sugar yield at the microplot level |
| 1.22 | C. Sochard, R. Duval | JDISTAS: A tool to predict field readiness |

Weed Control

- | | | |
|------|---------------------------------------|---|
| 1.23 | T. Iaboli, G. Campagna | Weed management in organic sugar beet in Italy – first experience with Farmdroid on field |
| 1.24 | S. Paulus, T. Linkugel, A.-K. Mahlein | How to compare weeding robots – a generalized scheme for recognition levels |
| 1.25 | S. Torfs | Mechanical weeding – an addition to chemical weed control |
| 1.26 | L. Potyondi, J. Kimmel, F. Csima | Comparison of traditional and Conviso smart weeding technology |
| 1.27 | J. Kimmel, L. Potyondi, F. Csima | Experimental experience in the application of Conviso Smart Technology |

78TH IIRB CONGRESS, 21-23/6/2022, MONS

POSTER PROGRAMME



1.28	C. Wellhausen <i>et al.</i>	CONVISO® SMART Stewardship: successful management of herbicide-tolerant sugar beet
1.29	S. van der Heijden	Effectiveness of various herbicides on ALS-tolerant weed beets in cereals
1.30	S. Geyer, M. Gepp, F. Kempl, H. Eigner	Weed control with waiver of phenmedipham and triflusaluron
1.31	D. Laufer, E. Ladewig	Importance of foliar active herbicides for weed control in sugar beet

2 Breeding

New tools for breeding

2.1	P. Lottes, D. Laufer	Modern drone-based assessment of variety trials in sugar beet
2.2	M. Günder <i>et al.</i>	Computer vision based plant cataloging and data framework for UAV images
2.3	J. Bömer, S. Paulus, A.-K. Mahlein	Extraction and establishment of novel geometric plant parameters of sugar beet for variety description using 3D-data
2.4	J. Adrian, F. Maupas	Assessing the potential of a handheld VNIR microspectrometer for sugar beet phenotyping

Seed technology and seed treatment

2.5	J. Long, R. Marcinek, R. Nicholls	The role of seed technologies in sugar beet growing past, present and future
2.6	H. Siddiqui, J. Long, R. Nicholls	Inducing plants defences with seed applied elicitors and beneficial bacteria
2.7	H. Thompson <i>et al.</i>	Is there a risk to honeybees from use of thiamethoxam as a sugar beet seed treatment?
2.8	K. Wechselberger, J. Heidelberg, F. Kempl, S. Geyer	Efficacy of seed treatments with and without neonicotinoids

Resistance breeding

2.9	K. Fiedler-Wiechers <i>et al.</i>	Climate change – the response from breeding
2.10	M. Fattori	Root-knot nematode – a tailored product development
2.11	J. Sels <i>et al.</i>	SESVanderHave root-knot nematode resistant sugar beet varieties – an innovative breeding solution to help growers sustaining their rotation
2.12	N. Wynant <i>et al.</i>	Development of a varietal solution against the virus yellows complex
2.13	N. Behnke, M. Schumann, W. Beyer, A. Looock	Milestones in virus yellows resistance breeding
2.14	B.-L. Lennefors, M. Delsaux, F. Cannaert, L. Holmquist	Evaluation of sugar beet materials for resistance/tolerance to mix infections of virus yellows and rhizomania
2.15	L. Holmquist <i>et al.</i>	Evaluation of sugar beet resistance sources to mix infections of four different aphid transmitted viruses
2.16	J. Wiessner <i>et al.</i>	Control of virus yellows in sugar beet – heading for an integrated solution
2.17	O. Czarnecki <i>et al.</i>	Sugar beet breeding provides solutions for novel insect threats
2.18	O. Czarnecki <i>et al.</i>	Breeding SBR tolerant varieties to support sugar beet farmers in Germany and Switzerland
2.19	A. Wauters	Registration of sugar beet varieties in Belgium: possible new traits?

3 Phytopathology

Virus diseases

3.1	M. Müllender, E. Maiss, M. Varrelmann, S. Liebe	Characterisation of a cDNA full-length clone derived from a <i>Beet necrotic yellow vein virus</i> P type population in Pithiviers (F)
3.2	S. Cobb	Strain variation in virus yellows and the effect on future virus resistant/tolerant sugar beet
3.3	E. Vanhauwaert	Varietal tolerance for BMVY: 3 years' experience with 2 inoculation densities
3.4	V. Puthanveed, J. Pettersson, A. Kvarnheden	The virome of Swedish sugar beet plants affected by virus yellows
3.5	S. Schop	Exploring mature plant resistance in sugar beet to avoid virus yellows infection in the field
3.6	L. Boissroux	MONitoring and DEFence against Yellowing virus diseases in sugar beet
3.7	K. Antoons	Virus yellows monitoring in Belgium
3.8	J. Maassen, E. Raaijmakers, A. Buijze	Lessons learned from an extensive communication program around virus yellows in The Netherlands

78TH IIRB CONGRESS, 21-23/6/2022, MONS

POSTER PROGRAMME



Pest monitoring and control

- | | | |
|------|---|---|
| 3.9 | E. Raaijmakers, J. Maassen, A. Buijze, N. Chouinard | Evaluation of the aphid warning system to control Virus Yellows in The Netherlands |
| 3.10 | K. Fredlund, B.-L. Lennefors | Phytovirus vector behavior: are aphids selective in their choice of sugar beet host? |
| 3.11 | S. Gunter, E. Raaijmakers | The effect of the banker plant <i>Artemisia vulgaris</i> on aphids and natural enemies in sugar beet |
| 3.12 | H.-J. Koch <i>et al.</i> | Plants helping plants: companion plants for aphid control |
| 3.13 | C. Royer | The fight against aphids in vegetation in France |
| 3.14 | N. Jachowicz | Proof of concept for novel green solutions for insect management in sugar beet through increased agrobiodiversity |
| 3.15 | M. Palomäki, T. Houni, S. Muurinen | Flower strips as sugar beet pest management |
| 3.16 | M. Palomäki, S. Muurinen | Biocontrol of sugar beet pests |
| 3.17 | C.S. Bacci <i>et al.</i> | Insect Pest Monitoring goes digital – a new era in sugar beet field observation has been started |
| 3.18 | K. Antoons | Efficacy of foliar insecticides to control aphids and transmission of virus yellows |
| 3.19 | A.L. Hansen, N. Jachowicz | Occurrence and control of pests in Force treated beets in SE and DK |
| 3.20 | G. Malatesta | Sugar beet weevil: updating the knowledge of a pest affecting from now on every kind of beetroot production in France |
| 3.21 | M. Mayrhofer, S. Geyer, H. Eigner | Sugar beet weevil (<i>Asproparthenis punctiventris</i>) – a pest in sugar beet in semi-arid regions |

Bacterial diseases

- | | | |
|------|--------------------------------------|---|
| 3.22 | R. Pfitzer, M. Varrelmann, M. Rostás | Establishment of a permanent rearing and nymphal instar characterisation of <i>Pentastiridius leporinus</i> |
| 3.23 | M. Schumann <i>et al.</i> | Handling the planthopper <i>Pentastiridius leporinus</i> for laboratory trials |
| 3.24 | Y. Galein <i>et al.</i> | SBR LAMP: A rapid portable field SBR detection tool |
| 3.25 | Ž. Čurčić <i>et al.</i> | Rubbery taproot disease (RTD) severe threat for sugar beet production in Central Europe |

Fungal leaf diseases

- | | | |
|------|------------------------------|--|
| 3.26 | U. Akesson | Attacks from <i>Aphanomyces cochlioides</i> could be unpredictable, but sometimes also possible to mitigate |
| 3.27 | V. Rivera-Varas | Factors affecting <i>Cercospora beticola</i> spore germination |
| 3.28 | G. Secor <i>et al.</i> | Early detection of <i>Cercospora beticola</i> spore production and infection in commercial sugar beet fields |
| 3.29 | S. Torfs, K. Antoons | Monitoring <i>Cercospora beticola</i> resistance in Belgium |
| 3.30 | F. Kempl, J. Riepl, S. Geyer | Control of resistant <i>Cercospora</i> leaf spot by fungicides and tolerant varieties |
| 3.31 | L. Blouquy <i>et al.</i> | Evidence of multiple fungicide resistance in French populations of <i>Cercospora beticola</i> : from population status to resistance mechanism |
| 3.32 | M. Khan | Agony of a <i>Cercospora</i> epidemic to the joy of successful management |
| 3.33 | S. Borgolte <i>et al.</i> | New resistant varieties can enhance integrated management of <i>Cercospora</i> leaf spot in sugar beet |
| 3.34 | G. Campagna <i>et al.</i> | Research of new methods of varietal characterisation of sugar beet grown in the Po Valley |
| 3.35 | T.M. Heick <i>et al.</i> | <i>Cercospora</i> leaf spot – an underrated threat for Danish sugar production |
| 3.36 | M. El Jarroudi <i>et al.</i> | A prediction model of <i>Cercospora beticola</i> disease of sugar beet in Belgium |
| 3.37 | N.A. Wyatt <i>et al.</i> | A pangenomic assessment of a <i>Cercospora beticola</i> global population |
| 3.38 | A. Buckley | Investigating the physiological effects of fungicides on sugar beet growth and yield |

Disease monitoring and management

- | | | |
|------|-----------------------------|---|
| 3.39 | B. Müller <i>et al.</i> | BeetControl – a smartphone app to recognize the infestation intensity and strength as well as forecast of the diseases based on artificial intelligence |
| 3.40 | F. Joudelat | CERCOCAP: an innovative <i>Cercospora</i> management system under development |
| 3.41 | C. Gouwie, F. Joudelat | Benefit of sugar beet epidemicsurveillance data |
| 3.42 | C. Gouwie | French pests and diseases monitoring device for sugar beet protection |
| 3.43 | B. Hanse, A. Buijze | Use of sensor data for decision support in foliar disease management |
| 3.44 | J. Bezdicke, A. Bezdicikova | Using of a smart weather station Crop Tech® for monitoring of infection conditions for <i>Cercospora beticola</i> in sugar beet and for timing of fungicide treatment |

78TH IIRB CONGRESS, 21-23/6/2022, MONS

POSTER PROGRAMME



- | | | |
|------|-----------------------------------|--|
| 3.45 | F.R. Ispizua Yamati <i>et al.</i> | Multisensory model for early detection of <i>Cercospora</i> leaf spot in sugar beet based on UAV multispectral imaging, epidemiological and micrometeorological data |
| 3.46 | F.R. Ispizua Yamati <i>et al.</i> | Automatic detection of rhizoctonia crown and root rot affected sugar beet plants from orthorectified UAV images |
| 3.47 | L.C. Barreto <i>et al.</i> | The use of near infrared spectrometry to detect rhizoctonia root rot in sugar beet in the field |

Nematode control

- | | | |
|------|---|---|
| 3.48 | N. Mwangi <i>et al.</i> | Potential of cover crops in suppression of stubby root nematodes (<i>Trichodorus</i> and <i>Paratrichodorus</i> spp.), associated with Docking disorder in sugar beet (<i>Beta vulgaris</i>) |
| 3.49 | A. Olsson Nyström,
L. Persson | Control of free living nematodes using inter crops |
| 3.50 | A.J.D. Wright, M. Stevens,
M.A. Back, D.L. Sparkes | Rooting around the problem – putting BCN tolerance in the frame |
| 3.51 | L. Frijters | The effect of crop rotation on infestation levels of <i>Heterodera schachtii</i> and the advice to use partial resistant sugar beet varieties |

4 Beet physiology

Beet quality

- | | | |
|-----|---------------------------------------|---|
| 4.1 | E. Hilscher, H. Narten,
I. Bejenke | KWS Beetrometer® – beet quality analysis for the 21 st century |
| 4.2 | E. Hilscher, H. Narten,
I. Bejenke | Sugar beet quality analysis – going beyond sugar |

Storage and storability

- | | | |
|-----|---|--|
| 4.3 | G. Kleuker, C.M. Hoffmann | Changes in sugar beet tissue strength during storage |
| 4.4 | H. Larsson Jönsson,
W. English | Late season water availability, harvest damage and mechanical proprieties in sugar beet |
| 4.5 | P.Z. Chunga, E.D. Dickin,
J.M. Monaghan | Effects of sugar beet's root morphology and genotype on root tip damage and tissue integrity |
| 4.6 | A.-L. Gippert <i>et al.</i> | Molecular mechanisms underlying storability of sugar beet taproots revealed by metabolomics and complementary transcriptomics of contrasting genotypes |
| 4.7 | N. Nause, F.R. Ispizua Yamati,
C. Hoffmann | Automatic cell counting and classification in sugar beet tissue using a microscope image clustering method |
| 4.8 | J. Ekelöf, W. English | Automated active ventilation of sugar beet clamps |
| 4.9 | W. English | Airflow through sugar beet clamps |

5 Other topics

- | | | |
|-----|-------------------------|--|
| 5.1 | A. Patry, D. Chevallier | Beet and cane sustainability observatory |
|-----|-------------------------|--|