

1 Agronomy

Tillage

- 1.1 S. Muurinen, S. Malmilehto, J. Jussila, M. Palomäki Hoeing trials in Finland 2020-2021
- 1.2 J. Keleman, J. Dillen, A. Wauters Long-term impact of different tillage methods on sugar beet

Sugar beet stand

- 1.3 R. Andersson, O. Nielsen Variable seed rates in sugar beets
- 1.4 J. Arnhold, F. Ispizua, D. Grunwald, H.-J. Koch Leaf area index or ground cover: which parameter correlates better with sugar yield affected by row distance?

The crop in the rotation

- 1.5 S. Muurinen, R. Kaipainen, S. Malmilehto, M. Palomäki Sugar beet crop rotation development in Finland related to carbon actions
- 1.6 C. Roß, J. Thies, N. Stockfisch Diversity of crop rotations with sugar beet
- 1.7 H.-J. Koch, D. Grunwald, L. Essich, R. Ruser How much fertiliser nitrogen can we save through cover crop cultivation?

Nutrient supply

- 1.8 D. Horn, G. Müller Sustainability of sugar beet cultivation: Humus in soils and humus balance in crop rotations of sugar beet farmers
- 1.9 M. Benazzi, G. Campagna Survey on soil fertility in Po Valley in the last 4 years
- 1.10 G. Bodner *et al.* Indicators from EUF extracts to monitor soil organic matter
- 1.11 R. Kaipainen, S. Malmilehto, S. Muurinen The potential of structural liming in Northern sugar beet production
- 1.12 A. Olsson Nyström, L. Persson Long term effects of structure lime on sugar beet growth and yield
- 1.13 A. Guiboileau *et al.* Improving crop establishment by acting on Nitrogen Use Efficiency with the use of GoActiv® based biostimulant in combination with amino-acids
- 1.14 A. van Valen Effects of sodium application in sugar beet on sandy soils in the Netherlands

Sugar beet cultivation under arid conditions

- 1.15 G. Barrat Testing for drought tolerance in sugar beet varieties
- 1.16 H. Ebmeyer, C. Hoffmann Drought stress: growth, water consumption and water use efficiency of sugar beet genotypes
- 1.17 M. Aylaj Salinity tolerance and interaction between potassium and sodium in salt stress conditions in two sugar beet genotypes (*Beta vulgaris* L.) differing in their resistance
- 1.18 G. Campagna *et al.* Studies of varieties with a reduced degree of induction to early flowering for autumn sowing in the beet growing area of COPROB (Italy)
- 1.19 M. Aghaei, M. Honarvar, M. Bazrafshan Autumn sugar beet production in Iran, challenges and opportunities

Precision agriculture

- 1.20 C. Hügel, B. de Wulf Artificial intelligence in sugar beet: two examples from research to cultivation
- 1.21 J. Molvot *et al.* Construction of a model to predict the sugar yield at the microplot level
- 1.22 C. Sochard, R. Duval JDISTAS: A tool to predict field readiness

Weed Control

- 1.23 T. Iaboli, G. Campagna Weed management in organic sugar beet in Italy – first experience with Farmdroid on field
- 1.24 S. Paulus, T. Linkugel, A.-K. Mahlein How to compare weeding robots – a generalized scheme for recognition levels
- 1.25 S. Torfs Mechanical weeding – an addition to chemical weed control
- 1.26 L. Potyondi, J. Kimmel, F. Csima Comparison of traditional and Conviso smart weeding technology
- 1.27 J. Kimmel, L. Potyondi, F. Csima Experimental experience in the application of Conviso Smart Technology

- | | | |
|------|-------------------------------------------|------------------------------------------------------------------------------------|
| 1.28 | C. Wellhausen <i>et al.</i> | CONVISO® SMART Stewardship: successful management of herbicide-tolerant sugar beet |
| 1.29 | S. van der Heijden | Effectiveness of various herbicides on ALS-tolerant weed beets in cereals |
| 1.30 | S. Geyer, M. Gepp, F. Kempl,
H. Eigner | Weed control with waiver of phenmedipham and triflurosulfuron |
| 1.31 | D. Laufer, E. Ladewig | Importance of foliar active herbicides for weed control in sugar beet |

2 Breeding

New tools for breeding

- | | | |
|-----|---------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| 2.1 | P. Lottes, D. Laufer | Modern drone-based assessment of variety trials in sugar beet |
| 2.2 | M. Günder <i>et al.</i> | Computer vision based plant cataloging and data framework for UAV images |
| 2.3 | J. Bömer, S. Paulus,
A.-K. Mahlein | Extraction and establishment of novel geometric plant parameters of sugar beet for variety description using 3D-data |
| 2.4 | J. Adrian, F. Maupas | Assessing the potential of a handheld VNIR microspectrometer for sugar beet phenotyping |

Seed technology and seed treatment

- | | | |
|-----|--------------------------------------------------------|---------------------------------------------------------------------------------------|
| 2.5 | J. Long, R. Marcinek,
R. Nicholls | The role of seed technologies in sugar beet growing past, present and future |
| 2.6 | H. Siddiqui, J. Long,
R. Nicholls | Inducing plants defences with seed applied elicitors and beneficial bacteria |
| 2.7 | H. Thompson <i>et al.</i> | Is there a risk to honeybees from use of thiamethoxam as a sugar beet seed treatment? |
| 2.8 | K. Wechselberger, J. Heidelberg,
F. Kempl, S. Geyer | Efficacy of seed treatments with and without neonicotinoids |

Resistance breeding

- | | | |
|------|----------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| 2.9 | K. Fiedler-Wiechers <i>et al.</i> | Climate change – the response from breeding |
| 2.10 | M. Fattori | Root-knot nematode – a tailored product development |
| 2.11 | J. Sels <i>et al.</i> | SESVanderHave root-knot nematode resistant sugar beet varieties – an innovative breeding solution to help growers sustaining their rotation |
| 2.12 | N. Wynant <i>et al.</i> | Development of a varietal solution against the virus yellows complex |
| 2.13 | N. Behnke, M. Schumann,
W. Beyer, A. Looock | Milestones in virus yellows resistance breeding |
| 2.14 | B.-L. Lennefors, M. Delsaux,
F. Canaert, L. Holmquist | Evaluation of sugar beet materials for resistance/tolerance to mix infections of virus yellows and rhizomania |
| 2.15 | L. Holmquist <i>et al.</i> | Evaluation of sugar beet resistance sources to mix infections of four different aphid transmitted viruses |
| 2.16 | J. Wiessner <i>et al.</i> | Control of virus yellows in sugar beet – heading for an integrated solution |
| 2.17 | O. Czarnecki <i>et al.</i> | Sugar beet breeding provides solutions for novel insect threats |
| 2.18 | O. Czarnecki <i>et al.</i> | Breeding SBR tolerant varieties to support sugar beet farmers in Germany and Switzerland |
| 2.19 | A. Wauters | Registration of sugar beet varieties in Belgium: possible new traits? |

3 Phytopathology

Virus diseases

- | | | |
|-----|----------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| 3.1 | M. Müllender, E. Maiss,
M. Varrelmann, S. Liebe | Characterisation of a cDNA full-length clone derived from a <i>Beet necrotic yellow vein virus</i> P type population in Pithiviers (F) |
| 3.2 | S. Cobb | Strain variation in virus yellows and the effect on future virus resistant/tolerant sugar beet |
| 3.3 | E. Vanhauwaert | Varietal tolerance for BMV: 3 years' experience with 2 inoculation densities |
| 3.4 | S. Schop | Exploring mature plant resistance in sugar beet to avoid virus yellows infection in the field |
| 3.5 | L. Boisroux | MONitoring and DEFence against Yellowing virus diseases in sugar beet |
| 3.6 | K. Antoons | Virus yellows monitoring in Belgium |
| 3.7 | J. Maassen, E. Raaijmakers,
A. Buijze | Lessons learned from an extensive communication program around virus yellows in The Netherlands |

Pest monitoring and control

- 3.8 E. Raaijmakers, J. Maassen, A. Buijze, N. Chouinard Evaluation of the aphid warning system to control Virus Yellows in The Netherlands
- 3.9 K. Fredlund, B.-L. Lennefors Phytovirus vector behavior: are aphids selective in their choice of sugar beet host?
- 3.10 S. Gunter, E. Raaijmakers The effect of the banker plant *Artemisia vulgaris* on aphids and natural enemies in sugar beet
- 3.11 H.-J. Koch *et al.* Plants helping plants: companion plants for aphid control
- 3.12 C. Royer The fight against aphids in vegetation in France
- 3.13 N. Jachowicz Proof of concept for novel green solutions for insect management in sugar beet through increased agrobiodiversity
- 3.14 M. Palomäki, T. Houni, S. Muurinen Flower strips as sugar beet pest management
- 3.15 M. Palomäki, S. Muurinen Biocontrol of sugar beet pests
- 3.16 C.S. Bacci *et al.* Insect Pest Monitoring goes digital – a new era in sugar beet field observation has been started
- 3.17 K. Antoons Efficacy of foliar insecticides to control aphids and transmission of virus yellows
- 3.18 A.L. Hansen, N. Jachowicz Occurrence and control of pests in Force treated beets in SE and DK
- 3.19 G. Malatesta Sugar beet weevil: updating the knowledge of a pest affecting from now on every kind of beetroot production in France
- 3.20 M. Mayrhofer, S. Geyer, H. Eigner Sugar beet weevil (*Asproparthenis punctiventris*) – a pest in sugar beet in semi-arid regions

Bacterial diseases

- 3.21 R. Pfitzer, M. Varrelmann, M. Rostás Establishment of a permanent rearing and nymphal instar characterisation of *Pentastiridius leporinus*
- 3.22 M. Schumann *et al.* Handling the planthopper *Pentastiridius leporinus* for laboratory trials
- 3.23 Y. Galein *et al.* SBR LAMP: A rapid portable field SBR detection tool
- 3.24 Ž. Čurčić *et al.* Rubbery taproot disease (RTD) severe threat for sugar beet production in Central Europe

Fungal leaf diseases

- 3.25 U. Akesson Attacks from *Aphanomyces cochlioides* could be unpredictable, but sometimes also possible to mitigate
- 3.26 S. Torfs, K. Antoons Monitoring *Cercospora beticola* resistance in Belgium
- 3.27 G. Secor *et al.* Early detection of *Cercospora beticola* spore production and infection in commercial sugar beet fields
- 3.28 M. Khan Agony of a *Cercospora* epidemic to the joy of successful management
- 3.29 F. Kempl, J. Riepl, S. Geyer Control of resistant *Cercospora* leaf spot by fungicides and tolerant varieties
- 3.30 L. Blouquy *et al.* Evidence of multiple fungicide resistance in French populations of *Cercospora beticola*: from population status to resistance mechanism
- 3.31 S. Borgolte *et al.* New resistant varieties can enhance integrated management of *Cercospora* leaf spot in sugar beet
- 3.32 G. Campagna *et al.* Research of new methods of varietal characterisation of sugar beet grown in the Po Valley
- 3.33 T.M. Heick *et al.* *Cercospora* leaf spot – an underrated threat for Danish sugar production
- 3.34 M. El Jarroudi *et al.* A prediction model of *Cercospora beticola* disease of sugar beet in Belgium
- 3.35 N.A. Wyatt *et al.* A pangenomic assessment of a *Cercospora beticola* global population
- 3.36 A. Buckley Investigating the physiological effects of fungicides on sugar beet growth and yield

Disease monitoring and management

- 3.37 B. Müller *et al.* BeetControl – a smartphone app to recognize the infestation intensity and strength as well as forecast of the diseases based on artificial intelligence
- 3.38 F. Joudelat CERCOCAP: an innovative *Cercospora* management system under development
- 3.39 C. Gouwie, F. Joudelat Benefit of sugar beet epidemicsurveillance data
- 3.40 C. Gouwie French pests and diseases monitoring device for sugar beet protection
- 3.41 B. Hanse, A. Buijze Use of sensor data for decision support in foliar disease management
- 3.42 J. Bezdicek, A. Bezdickova Using of a smart weather station Crop Tech® for monitoring of infection conditions for *Cercospora beticola* in sugar beet and for timing of fungicide treatment
- 3.43 F.R. Ispizua Yamati *et al.* Multisensory model for early detection of *Cercospora* leaf spot in sugar beet based on UAV multispectral imaging, epidemiological and micrometeorological data

78TH IIRB CONGRESS, 21-23 /6 /2022, MONS

POSTER PROGRAMME



3.44 F.R. Ispizua Yamati *et al.* Automatic detection of rhizoctonia crown and root rot affected sugar beet plants from orthorectified UAV images

3.45 L.C. Barreto *et al.* The use of near infrared spectrometry to detect rhizoctonia root rot in sugar beet in the field

Nematode control

3.46 N. Mwangi *et al.* Potential of cover crops in suppression of stubby root nematodes (*Trichodorus* and *Paratrichodorus* spp.), associated with Docking disorder in sugar beet (*Beta vulgaris*)

3.47 A. Olsson Nyström,
L. Persson Control of free living nematodes using inter crops

3.48 A.J.D. Wright, M. Stevens,
M.A. Back, D.L. Sparkes Rooting around the problem – putting BCN tolerance in the frame

3.49 L. Frijters The effect of crop rotation on infestation levels of *Heterodera schachtii* and the advice to use partial resistant sugar beet varieties

4 Beet physiology

Beet quality

4.1 E. Hilscher, H. Narten,
I. Bejenke KWS Beetrometer® – beet quality analysis for the 21st century

4.2 E. Hilscher, H. Narten,
I. Bejenke Sugar beet quality analysis – going beyond sugar

Storage and storability

4.3 G. Kleuker, C.M. Hoffmann Changes in sugar beet tissue strength during storage

4.4 H. Larsson Jönsson,
W. English Late season water availability, harvest damage and mechanical proprieties in sugar beet

4.5 P.Z. Chunga, E.D. Dickin,
J.M. Monaghan Effects of sugar beet's root morphology and genotype on root tip damage and tissue integrity

4.6 A.-L. Gippert *et al.* Molecular mechanisms underlying storability of sugar beet taproots revealed by metabolomics and complementary transcriptomics of contrasting genotypes

4.7 N. Nause, F.R. Ispizua Yamati,
C. Hoffmann Automatic cell counting and classification in sugar beet tissue using a microscope image clustering method

4.8 J. Ekelöf, W. English Automated active ventilation of sugar beet clamps

4.9 W. English Airflow through sugar beet clamps

5 Other topic

5.1 A. Patry, D. Chevallier Beet and cane sustainability observatory